L Number	Hits	Search Text	DB	Time stamp
-	663	707/8.ccls.	USPAT; EPO; JPO	2004/05/24 14:14
-	15	707/8.ccls. and (metadata link) with file with (remote network)	USPAT; EPO; JPO	2004/03/29 16:19
-	0	server with link with file same checkout with file	USPAT; EPO; JPO	2004/03/29 16:20
-	1180	server with file with (link metadata)	USPAT; EPO; JPO	2004/03/29 16:24
-	11	server with file with (link metadata) and ((lock and unlock) ("check out" and "check in")) with file with server	USPAT; EPO; JPO	2004/03/29 16:28
-	15	server with file with (link metadata) and ((lock and unlock) ("check out" and "check in")) with file with server	USPAT; US-PGPUB; EPO; JPO	2004/03/29 16:55
-	117	file with location with status and read with write with file	USPAT; US-PGPUB; EPO; JPO	2004/03/29 16:56
-	31	file with location with status and read with write with file and file with location with client	USPAT; US-PGPUB; EPO; JPO	2004/03/30 09:58
-	361	source adj code with management	USPAT; US-PGPUB; EPO; JPO	2004/03/30 09:58
-	78	source adj code with management adj system	USPAT; US-PGPUB; EPO; JPO	2004/03/30 09:59
-	59	source adj code with management adj system and (link metadata)	USPAT; US-PGPUB; EPO; JPO	2004/03/30 09:59
-	39	source adj code with management adj system and (link metadata) with (data file source adj code)	USPAT; US-PGPUB; EPO; JPO	2004/03/30 10:02
-	19	source adj code with management adj system and (link metadata) with (data file source adj code) and (read with write lock with unlock check adj in with check adj out)	USPAT; US-PGPUB; EPO; JPO	2004/03/30 10:03
-	21	("4875159" | "4887204" | "4888681" | "5043876" | "5088031" | "5239647" | "5293618" | "5313646" | "5317729" | "5574898" | "5649185" | "5649200" | "5678040" | "5838916" | "5852435" | "5889942" | "5896506" | "5920893" | "5933824" | "5970490" | "6023706").PN.	USPAT	2004/03/30 11:16
-	17	6023706.URPN.	USPAT	2004/03/30 12:40
-	26	(data file) with access and metadata with (file data) with (remote network) and (request) with (file data) and storage with location with (file data)	USPAT; EPO; JPO	2004/03/30 13:09
-	328	metadata with server	USPAT; EPO; JPO	2004/03/30 13:11
-	40	metadata adj server	USPAT; EPO; JPO	2004/03/30 13:11
-	6	metadata adj server and metadata with file with location	USPAT; EPO; JPO	2004/03/30 14:30
-	27	("4577272" | "4780821" | "5146605" | "5206939" | "5335352" | "5381539" | "5394526" | "5461611" | "5526414" | "5537645" | "5544313" | "5544327" | "5544347" | "5557611" | "5583995" | "5630067" | "5646676" | "5675802" | "5737747" | "5742792" | "5802301" | "5892915" | "5893140" | "5933603" | "5944789" | "5950203" | "6061504").PN.	USPAT	2004/03/30 13:21
-	8	6324581.URPN.	USPAT	2004/03/30 14:04
-	16	("4887204" | "4965719" | "5193188" | "5202971" | "5305448" | "5339427" | "5490270" | "5551046" | "5615373" | "5867577" | "5956712" | "6199141" | "6272662" | "6324581" | "6405315" | "6466978").PN.	USPAT	2004/03/30 14:13
-	376	location with (file-data) with (most more) with requests	USPAT; EPO; JPO	2004/03/30 14:33
-	38	location with (file data) with (most more) with requests and (server with location with database)	USPAT; EPO; JPO	2004/03/30 14:39
-	15	location with (file data) with (most more) with requests and (server with location with database) and 707/$.ccls.	USPAT; EPO; JPO	2004/03/30 15:19
-	5	("5617568" | "5689701" | "5974566" | "6026414" | "6505241" | "2002/0026507" | "2002/0046295" | "2002/0188605").PN.	USPAT	2004/03/30 14:42

-		5	("5617568" | "5689701" | "5974566" | "6026414" | "6505241" | "2002/0026507" | "2002/0046295" | "2002/0188605").PN.	USPAT	2004/03/30 15:18
-		3	source adj code adj management adj system	USPAT; EPO; JPO	2004/03/30 15:40
-		11	source adj code adj management adj system	USPAT; US-PGPUB; EPO; JPO	2004/03/30 15:47
-		303	direct with (file data) with client with access	USPAT; US-PGPUB; EPO; JPO	2004/03/30 15:47
-		150	direct with (file data) with client with access and (metadata name location) with server	USPAT; US-PGPUB; EPO; JPO	2004/03/30 15:50
-		32	direct with (file data) with client with access and (metadata name location) with (server database) and (move change) with location with (file data)	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:34
-		0	determin with location with file with statisic$4	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:35
-		0	location with file with statisic$4	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:36
-		428	location with file with pattern	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:36
-		24	location with file with pattern with based	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:38
-		10	location with file with pattern with based and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:40
-		184	data with location with (frequency statistics) with access	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:42
-		19	data with location with (frequency statistics) with access and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:45
-		22	(file data) with location with (frequency statistics) with access and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:45
-		1	("6324581").PN.	USPAT; US-PGPUB; EPO; JPO	2004/04/08 13:28
-		7	(("5884326") or ("20030004981") or ("20030078946") or ("6151624") or ("0848527") or ("20020083120") or ("6625604")).PN.	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:13
-		3	((("5884326") or ("20030004981") or ("20030078946") or ("6151624") or ("0848527") or ("20020083120") or ("6625604")).PN.) and code	USPAT; US-PGPUB; EPO; JPO	2004/04/08 13:32
-		1	"source code management" with client	USPAT; US-PGPUB; EPO; JPO	2004/04/08 13:33
-		64	store with source with code same client	USPAT; US-PGPUB; EPO; JPO	2004/04/08 13:34
-		68	stor$4 with source with code same client with access$4	USPAT; US-PGPUB; EPO; JPO	2004/04/08 13:34
-		27	stor$4 with source with code same client with access$4 with source with code	USPAT; US-PGPUB; EPO; JPO	2004/04/08 13:34
-		2	5884326.URPN.	USPAT	2004/04/08 15:00
-		4	("4817050" | "4918588" | "5131087" | "5265244").PN.	USPAT	2004/04/08 15:02

-		4	lock with unlock with file with meta$6	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:17
-		2	lock with unlock with metadata	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:17
-		28	lock with unlock with file with server	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:22
-		123	metadata with (lock unlock "check in" "check out")	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:23
-		97	metadata with (lock unlock "check in" "check out") with (Data file)	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:25
-		116	(file data "source code") with (lock with unlock "check in" with "check out") with (server store metadata)	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:27
-		53	(file data "source code") with (lock with unlock "check in" with "check out") with (server store metadata) and manag$6 with (code data file)	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:28
-		20	(file data "source code") with (lock with unlock "check in" with "check out") with (server store metadata) and manag$6 with (code data file) and (707/$.ccls. 705/$.ccls. 709/$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:51
-		887	707/9.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:51
-		51	707/9.ccls. and metadata	USPAT; US-PGPUB; EPO; JPO	2004/04/08 15:51
-		19	707/9.ccls. and metadata with server	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:26
-		6	("3735360" | "5339429" | "5416921" | "5463754" | "5566331" | "5634122").PN.	USPAT	2004/04/08 16:19
-		658	data with access with statistics	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:27
-		0	data with access with statistics and move with data with location with network	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:27
-		86	data with access with statistics and data with location with network	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:27
-		11860	data with access with statistics and mov$4 data with location with network	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:27
-		0	data with access with statistics and mov$4 with data with location with network	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:28
-		86	data with access with statistics and data with location with network	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:28
-		26	data with access with statistics and data with location with network and metadata	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:30
-		33	data with locat$6 with network with (QOS "quality of service")	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:41
-		10	relocate with data with usage	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:48
-		105	geogra$6 with move with data	USPAT; US-PGPUB; EPO; JPO	2004/04/08 16:49

-		1	geogra$6 with move with data and (pattern statistic) with data with (access request)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 08:57
-		1	file with "near" with client with access$4	USPAT; US-PGPUB; EPO; JPO	2004/04/09 09:02
-		41	stor$4 with location with requests with (pattern statistics)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 09:50
-		1167	707/6.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/09 10:09
-		732	707/8.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/09 10:09
-		323	707/6.ccls. and data with location	USPAT; US-PGPUB; EPO; JPO	2004/04/09 10:10
-		254	707/6.ccls. and data with location and (physical geographical local$4 distance)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 10:11
-		96	707/6.ccls. and data with location and (physical geographical local$4 distance) with (client user terminal workstation)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 10:11
-		28	707/6.ccls. and data with location and (physical geographical local$4 distance) with (client user terminal workstation) with (access$4 request$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 10:51
-		17	mov$4 with frequent$4 with access$4 with data with (client computer user terminal)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 12:53
-		2	(("5765204") or ("5873085")).PN.	USPAT; US-PGPUB; EPO; JPO	2004/04/09 11:21
-		15	("4769771" | "5012405" | "5142674" | "5333315" | "5355453" | "5361349" | "5412808" | "5463772" | "5483466" | "5504863" | "5548724" | "5603019" | "5619716" | "5630067" | "5706475").PN.	USPAT	2004/04/09 11:21
-		9	5873085.URPN.	USPAT	2004/04/09 11:36
-		20	5765204.URPN.	USPAT	2004/04/09 12:06
-		0	reduc$4 with network with trafic same mov$4 with (database server)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 12:54
-		2932410	improv$4 (qos "quality of service") same mov$4 with (server database data file)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 12:55
-		2	improv$4 with (qos "quality of service") same mov$4 with (server database data file)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 13:05
-		1	mov$4 with data with closer with client	USPAT; US-PGPUB; EPO; JPO	2004/04/09 13:08
-		82	source adj code adj manag$6	USPAT; US-PGPUB; EPO; JPO	2004/04/09 13:09
-		18	source adj code adj manag$6 with (computer system database)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 13:18
-		8	source adj code adj manag$6 with (computer system database) and (lock unlock "check in" "check out")	USPAT; US-PGPUB; EPO; JPO	2004/04/09 13:19
-		2722	(lock$4 check$4 adj out) with (request$4 access$4) with (file code)	USPAT; US-PGPUB; EPO; JPO	2004/04/09 14:05
-		53	(lock$4 check$4 adj out) with (request$4 access$4) with (file code) with metadata	USPAT; US-PGPUB; EPO; JPO	2004/04/09 14:06

-	12	("4733352" | "4984153" | "5280612" | "5423044" | "5493724" | "5550976" | "5574903" | "5717917" | "5740424" | "5887194" | "5933824" | "5948062").PN.	USPAT	2004/04/09 15:22
-	1	("4733352" | "4984153" | "5280612" | "5423044" | "5493724" | "5550976" | "5574903" | "5717917" | "5740424" | "5887194" | "5933824" | "5948062").PN. and (code with manag$6)	USPAT	2004/04/09 15:37
-	0	metadata with check with code with (in out)	USPAT	2004/04/09 15:38
-	4235	check with code with (in out)	USPAT	2004/04/09 15:38
-	5	check with code with (in out) same success$4 with (client respond return)	USPAT	2004/04/09 16:40
-	4	("5649099" | "5841978" | "5987611" | "6092114").PN.	USPAT	2004/04/09 15:48
-	84	code with version with management	USPAT	2004/04/09 16:40
-	1	code with version with management same metadata	USPAT	2004/04/09 16:41
-	83	code with version with management not (code with version with management same metadata) not (("5649099" | "5841978" | "5987611" | "6092114").PN.) not (check with code with (in out) same success$4 with (client respond return))	USPAT	2004/04/09 16:42
-	27	code with version with management and (lock and unlock "check in" and "check out")	USPAT	2004/04/12 10:01
-	792	(many "two or more" plurality several) with storage with location with determin$4	USPAT; US-PGPUB; EPO; JPO	2004/04/12 12:07
-	207	(many "two or more" plurality several) with storage with location same (determin$4 choos$4) with location with (client user computer)	USPAT; US-PGPUB; EPO; JPO	2004/04/12 12:11
-	11	(many "two or more" plurality several) with storage with location same (determin$4 choos$4) with location with (client user computer) and metadata	USPAT; US-PGPUB; EPO; JPO	2004/04/12 12:37
-	60	(many "two or more" plurality several) with storage with location same (determin$4 choos$4) with (client user computer) with (requests access$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/12 12:50
-	22	(many "two or more" plurality several) with storage with location same (determin$4 choos$4) with (client user computer) with (requests access$4) and (707/$.ccls. 705/$.ccls. 709/$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/04/12 13:18
-	39	(data file code) with proxim$6 with (client user computer) with (access$4 request$4 us$4) with most	USPAT; US-PGPUB; EPO; JPO	2004/04/12 14:13
-	19	proximal with data with network	USPAT; US-PGPUB; EPO; JPO	2004/04/12 14:27
-	1639	"source code" with (management storage store)	USPAT; US-PGPUB; EPO; JPO	2004/05/20 12:43
-	2274	(file "source code") with ("check in" "check out" lock unlock)	USPAT; US-PGPUB; EPO; JPO	2004/05/20 12:44
-	6	("source code" with (management storage store)) and ((file "source code") with ("check in" "check out" lock unlock)) and update with metadata	USPAT; US-PGPUB; EPO; JPO	2004/05/20 13:53
-	55	("source code" with (management storage store)) and ((file "source code") with ("check in" "check out" lock unlock))	USPAT; US-PGPUB; EPO; JPO	2004/05/20 13:54
-	0	meta$data with closer with data same (computer client) same (lan network wan internet eithernet intranet)	USPAT; EPO; JPO	2004/05/24 14:15
-	2	meta$data with closer with data	USPAT; EPO; JPO	2004/05/24 14:15